



Product Service

# Attestation of Conformity

No. N8A 099333 0066 Rev. 01

**Holder of Certificate:** **LONGi Green Energy Technology Co., Ltd.**  
No. 388, Middle Hangtian Road  
Chang'an District  
710100 Xi'an City, Shaanxi  
PEOPLE'S REPUBLIC OF CHINA

**Product:** **Crystalline Silicon Terrestrial Photovoltaic (PV) Modules**  
**Mono-Crystalline Silicon Photovoltaic Module**

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance.  
It refers only to the particular sample submitted for testing and certification. See also notes overleaf.

**Test report no.:** 704061900606-01

**Date,** 2019-08-09

( David Bo )

Page 1 of 2

After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. The declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.

TÜV SÜD Product Service GmbH • Certification Body • Ridlerstraße 65 • 80339 Munich • Germany

TÜV®

ZERTIFIKAT • CERTIFICATE • CERTIFICADO • CERTIFIKAT • 認證書



Product Service

# Attestation of Conformity

No. N8A 099333 0066 Rev. 01

## Model(s):

LR6-72HV-xxxM, (xxx=335 to 360 in step of 5)  
LR6-60HV-xxxM, (xxx=280 to 300 in step of 5)  
LR6-72PH-xxxM, (xxx=340 to 380 in step of 5)  
LR6-60PH-xxxM, (xxx=285 to 315 in step of 5)  
LR6-72HPH-xxxM, (xxx=365 to 395 in step of 5)  
LR6-60HPH-xxxM, (xxx=300 to 325 in step of 5)  
LR6-72OPH-xxxM, (xxx=385 to 400 in step of 5)  
LR6-60OPH-xxxM, (xxx=335 to 350 in step of 5)  
LR6-72HPH-xxxMC, (xxx=375 to 390 in step of 5)  
LR6-60HPH-xxxMC, (xxx=305 to 325 in step of 5)  
LR4-72HPH-xxxM, (xxx=420 to 440 in step of 5)  
LR4-60HPH-xxxM, (xxx=350 to 370 in step of 5)  
xxx is standing for rated output power at STC

## Parameters:

Fire Safety Class:	Class C according to UL790
Safety Class:	Class II
Maximum System Voltage:	1500V DC
Test Laboratory:	Yangzhou Opto-Electrical Products Testing Institute. No.10 West Kaifa Road, Yangzhou, 225009 Jiangsu, P.R.China.
Construction:	Framed, with Junction box, cable and connector.

## Tested according to:

EN IEC 61730-1:2018  
EN IEC 61730-1:2018/AC:2018-06  
EN IEC 61730-2:2018  
EN IEC 61730-2:2018/AC:2018-06