



Product Service

# Attestation of Conformity

No. N8A 099333 0064 Rev. 00

**Holder of Certificate:** **LONGi Green Energy Technology Co., Ltd.**  
No. 388, Middle Hangtian Road  
Chang'an District  
710100 Xi'an City, Shaanxi  
PEOPLE'S REPUBLIC OF CHINA

**Product:** **Crystalline Silicon Terrestrial Photovoltaic (PV) Modules**  
**Mono-Crystalline Silicon Photovoltaic Module**

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance.  
It refers only to the particular sample submitted for testing and certification. See also notes overleaf.

**Test report no.:** 704061900607-00

**Date,** 2019-01-24

( Zhulin Zhang )

Page 1 of 2

After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. The declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.

TÜV SÜD Product Service GmbH • Certification Body • Ridlerstraße 65 • 80339 Munich • Germany

TÜV®



Product Service

# Attestation of Conformity

No. N8A 099333 0064 Rev. 00

## Model(s):

LR6-72BP-xxxM, (xxx=350 to 380 in step of 5)  
LR6-60BP-xxxM, (xxx=290 to 315 in step of 5)  
LR6-72DG-xxxM, (xxx=330 to 360 in step of 5)  
LR6-60DG-xxxM, (xxx=275 to 300 in step of 5)  
LR6-72PD-xxxM, (xxx=345 to 370 in step of 5)  
LR6-60PD-xxxM, (xxx=290 to 305 in step of 5)  
LR6-72HBD-xxxM, (xxx=360 to 385 in step of 5)  
LR6-60HBD-xxxM, (xxx=300 to 320 in step of 5)  
LR6-78HBD-xxxM, (xxx=395 to 410 in step of 5)  
LR6-72OPD-xxxM, (xxx=370 to 400 in step of 5)  
LR6-60OPD-xxxM, (xxx=325 to 345 in step of 5)  
The suffix BP is meaning double glass  
PV modules with bifacial solar cells,  
the suffix DG is meaning double glass modules,  
the suffix PD is meaning double glass  
PV modules with PERC cells,  
the suffix HBD is meaning double glass  
PV modules with bifacial half solar cells,  
the suffix OPD is meaning double glass  
shingling module types.  
xxx is standing for rated output power at STC.

## Parameters:

Safety Class:	Class II
Max. System Voltage:	1500V DC
Test Laboratory:	Yangzhou Opto-Electrical Products Testing Institute. No.10 West Kaifa Road, Yangzhou, 225009 Jiangsu, P. R. China.
Construction:	Frameless or framed, with Junction box, cable and connector.

## Tested according to:

EN IEC 61730-1:2018  
EN IEC 61730-1:2018/AC:2018-06  
EN IEC 61730-2:2018  
EN IEC 61730-2:2018/AC:2018-06